



Marine & Offshore

Certificate number: SMS.MED2.D/61533/C.0

Notified Body N° 2690

www.veristar.com

MED 2014/90/EU QUALITY SYSTEM MODULE D CERTIFICATE

This certificate is issued under the French Maritime Authority, in compliance with the Directive 2014/90/EU of the European Parliament and of the Council of 23 July 2014 as transposed in the French Regulations and Commission Implementing Regulation (EU) 2021/1158 of 22 June 2021, to:

ISONELL S.L.
Murga-Aiala (ALAVA) - SPAIN

Summary of the range of the recognition which is detailed in the subsequent page(s):

"A" CLASS DIVISIONS, BULKHEADS, FIRE INTEGRITY
 "A" CLASS DIVISIONS, DECK ASSEMBLIES, FIRE INTEGRITY
 "A" CLASS DIVISIONS, FIRE INTEGRITY
 "B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY
 "B" CLASS DIVISIONS, CEILINGS, FIRE INTEGRITY
 "B" CLASS DIVISIONS, STRUCTURAL CEILINGS, FIRE INTEGRITY
 "C" CLASS DIVISIONS
 FIRE DOORS

This certificate is issued to attest that Bureau Veritas Marine & Offshore, notified body number 2690, did undertake, at the above company's request, an assessment of the quality system for production quality assurance related to the equipment of the type described in EC type-examination (Module B) certificate(s) listed in the subsequent page(s). Bureau Veritas Marine & Offshore, notified body number 2690, has considered that the quality system operated was satisfying the applicable requirements of the Marine Equipment Directive 2014/90/EU as amended.

This certificate will expire on: 09 Feb 2025

For Bureau Veritas Marine & Offshore,
 At BV BILBAO, on 08 Feb 2022,
 Juan jose GUTIERREZ GARCIA



This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with. This certificate is issued within the scope of the General Conditions of Bureau Veritas Marine & Offshore available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas Marine & Offshore for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

The electronic version is available at: <http://www.veristarp.com/veristarnb/jsp/viewPublicPdfRecognition.jsp?id=mbntyxsttl>

ANNEX**1. SCOPE****Products**

App. number	Sign date	Validity date	Item designation	Trade name	Comment
27786/B0 MED	19 Jun 2017	19 Jun 2022	"C" CLASS DIVISIONS - MED/3.64	ISONELL HONEYCOMB PANEL (20 mm)	
36247/B0 MED	12 Feb 2019	12 Feb 2024	FIRE DOORS - MED/3.16	B-0 Class Double-Leaf Hinged Fire doors with portholes	
36248/B1 MED	27 Feb 2020	12 Mar 2024	FIRE DOORS - MED/3.16	B-15 Class Double Leaves Hinged Fire Door ** Restricted application: see §4.4 **	
36373/B0 MED	12 Mar 2019	12 Mar 2024	FIRE DOORS - MED/3.16	B-0 CLASS SINGLE LEAF HINGED FIRE DOORS - Type "ATZ DOOR B-0"	
36374/B0 MED	12 Mar 2019	12 Mar 2024	FIRE DOORS - MED/3.16	B-15 Class Single leaf hinged fire doors - Type "ATZ"	
36594/B0 MED	12 Mar 2019	12 Mar 2024	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	B-30 CLASS BULKHEAD Type "J-50"	
36916/B0 MED	12 Feb 2019	12 Feb 2024	"A" CLASS DIVISIONS, FIRE INTEGRITY - MED/3.11a	A-15 class light-weight bulkhead Type A50 Acoustic	
36918/B0 MED	12 Feb 2019	12 Feb 2024	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	B-15 CLASS BULKHEAD Type "A50"	
37416/B0 MED	12 Mar 2019	12 Mar 2024	"A" CLASS DIVISIONS, FIRE INTEGRITY - MED/3.11a	A-30 CLASS LIGHT-WEIGHT BULKHEAD Type "A70"	
37419/B0 MED	12 Mar 2019	12 Mar 2024	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	B-30 CLASS BULKHEAD Type "A70"	
37420/B0 MED	12 Mar 2019	12 Mar 2024	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	B-15 CLASS BULKHEAD Type "A70"	
38233/B0 MED	20 Oct 2020	20 Oct 2025	"A" CLASS DIVISIONS, DECK ASSEMBLIES, FIRE INTEGRITY - MED/3.11a	A-30 Class Deck - Type "FLOATING FLOOR F30"	
38415/B0 MED	20 Oct 2020	20 Oct 2025	"A" CLASS DIVISIONS, DECK ASSEMBLIES, FIRE INTEGRITY - MED/3.11a	A-60 Class Deck - Type "FLOATING FLOOR F60"	
38416/B0 MED	14 Oct 2019	15 Oct 2024	FIRE DOORS - MED/3.16	A-0 Class Single Leaf Hinged Fire Door - Type "Door P30 A-0"	
38417/B0 MED	14 Oct 2019	15 Oct 2024	FIRE DOORS - MED/3.16	A-15 Class Single Leaf Hinged Fire Door - Type "Door P30 A-15"	

App. number	Sign date	Validity date	Item designation	Trade name	Comment
38418/B0 MED	14 Oct 2019	15 Oct 2024	FIRE DOORS - MED/3.16	A-30 Class Single Leaf Hinged Fire Door - Type "Door P30 A-30"	
38916/B0 MED	14 Feb 2020	14 Feb 2025	FIRE DOORS - MED/3.16	B-15 Class Single Leaf Hinged Acoustic Fire Door with Louver - Type "ALZ Door"	
38917/B0 MED	21 Apr 2020	21 Apr 2025	FIRE DOORS - MED/3.16	B-0 Class Acoustic Hinged Fire Door with louver - Type "ALZ Door"	
38918/B0 MED	14 Feb 2020	14 Feb 2025	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	B-15 Class Bulkhead - Type "A44 Bulkhead B-15"	
38927/B0 MED	02 Jul 2020	02 Jul 2025	"A" CLASS DIVISIONS, DECK ASSEMBLIES, FIRE INTEGRITY - MED/3.11a	A-15 Class Lightweight bulkhead - Type "B50 Bulkhead"	
38930/B0 MED	02 Jul 2020	02 Jul 2025	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	B-15 Class Bulkhead - Type "B50 Bulkhead B-15"	
40813/B0 MED	14 Jan 2022	14 Jan 2027	FIRE DOORS - MED/3.16	B-0 Class Single Leaf Hinged Fire Door, with window - Type "TZS1-B0"	
40814/B0 MED	14 Jan 2022	14 Jan 2027	FIRE DOORS - MED/3.16	B-15 Class Single Leaf Hinged Fire Door, with window - Type "TZS1-B15"	
41947/B0 MED	02 Jul 2020	02 Jul 2025	FIRE DOORS - MED/3.16	A-60 Class Single Leaf Hinged Gastight/ Weathertight Fire Door - Type "Door P-60 A-60"	
42914/B0 MED	12 Mar 2021	12 Mar 2026	"B" CLASS DIVISIONS, STRUCTURAL CEILINGS, FIRE INTEGRITY - MED/3.11b	B-0 Class Ceiling / A-30 Class Deck - Type ISONELL-300 with optional registers	
44940/B0 MED	14 Jan 2022	14 Jan 2027	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	B-15 Class Bulkhead - Type "ISONELL B-25 bulkhead"	
44941/B0 MED	14 Jan 2022	14 Jan 2027	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	B-0 Class Bulkhead - Type "ISONELL B-25 bulkhead"	
47963/A0 MED	03 Mar 2017	03 Mar 2022	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	ISONELL B25 M-H (B-15)	
47982/A0 MED	03 Mar 2017	03 Mar 2022	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	ISONELL B25 M-H (B-0)	
48145/A0 MED	08 Mar 2017	08 Mar 2022	"B" CLASS DIVISIONS, CEILINGS, FIRE INTEGRITY - A.1/3.11b	ISONELL-300 with holes (B-15)	
48943/A0 MED	01 Jun 2017	01 Jun 2022	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	ISONELL B50 M-H (B-15)	

App. number	Sign date	Validity date	Item designation	Trade name	Comment
48944/A0 MED	01 Jun 2017	01 Jun 2022	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	ISONELL B50 M-H (B-0)	
50449/A0 MED	14 Mar 2020	14 Mar 2025	FIRE DOORS - MED/3.16	A-60 Class Single Leaf Hinged Fire Door type "TMC/ISONELL WT_Door A-60 "	
50516/A0 MED	14 Mar 2020	14 Mar 2025	FIRE DOORS - MED/3.16	A-0 Class Single Leaf Hinged Fire Door with glazing type "TMC/ ISONELL WT_Door A-0 "	
51686/A0 MED	21 Feb 2018	21 Feb 2023	"A" CLASS DIVISIONS, BULKHEADS, FIRE INTEGRITY - MED/3.11a	A-60 class light-weight bulkhead, type ISONELL 100	
53628/A0 MED	13 Jul 2018	13 Jul 2023	FIRE DOORS - MED/3.16	B-15 Class Single Leaf Hinged Fire Doors - Type ISONELL RB25	
57367/A0 MED	07 Sep 2020	07 Sep 2025	"B" CLASS DIVISIONS, STRUCTURAL CEILINGS, FIRE INTEGRITY - MED/3.11b	B-15 Class Ceiling / A-30 Class deck Type "ISONELL-500" with holes	
64852/A0 MED	16 Mar 2021	16 Mar 2026	"B" CLASS DIVISIONS, STRUCTURAL CEILINGS, FIRE INTEGRITY - MED/3.11b	B-0 Class Ceiling / A-15 Class Deck Type ISONELL 500 with registers	

App. number	Date of issue	Validity date	Item designation	Trade name	Comment
05-MD1429295-4-EC4	08 Jun 2018	04 Jun 2023	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	ISONELL-500 B-15 Ceiling Panels with & without holes	

USCG marking as per US-EC MRA

App. number	Trade name	USCG marking as per US-EC MRA	Comment
05-MD1429295 -4-EC4	ISONELL-500 B-15 Ceiling Panels & without holes	164.110/EC0729/05-MD1429295-4-EC4/EC2690	
36247/B0 MED	B-0 Class Double-Leaf Hinged Fire doors with portholes	164.136/EC2690/36247-B0-MED	
36373/B0 MED	B-0 CLASS SINGLE LEAF HINGED FIRE DOORS - Type "ATZ DOOR B-0"	164.136/EC2690/36373-B0-MED	
36374/B0 MED	B-15 Class Single leaf hinged fire doors - Type "ATZ"	164.136/EC2690/36374-B0-MED	
36594/B0 MED	B-30 CLASS BULKHEAD Type "J-50"	164.108/EC2690/36594-B0-MED	
36918/B0 MED	B-15 CLASS BULKHEAD Type "A50"	164.108/EC2690/36918-B0-MED	
37419/B0 MED	B-30 CLASS BULKHEAD Type "A70"	164.108/EC2690/37419-B0-MED	
37420/B0 MED	B-15 CLASS BULKHEAD Type "A70"	164.108/EC2690/37420-B0-MED	
38233/B0 MED	A-30 Class Deck - Type "FLOATING FLOOR F30"	164.105/EC2690/38233-B0-MED	
38415/B0 MED	A-60 Class Deck - Type "FLOATING FLOOR F60"	164.105/EC2690/38415-B0-MED	
38416/B0 MED	A-0 Class Single Leaf Hinged Fire Door - Type "Door P30 A-0"	164.136/EC2690/38416-B0-MED	
38417/B0 MED	A-15 Class Single Leaf Hinged Fire Door - Type "Door P30 A-15"	164.136/EC2690/38417-B0-MED	
38418/B0 MED	A-30 Class Single Leaf Hinged Fire Door - Type "Door P30 A-30"	164.136/EC2690/38418-B0-MED	
38916/B0 MED	B-15 Class Single Leaf Hinged Acoustic Fire Door with Louver - Type "ALZ Door"	164.136/EC2690/38916-B0-MED	
38917/B0 MED	B-0 Class Acoustic Hinged Fire Door with louver - Type "ALZ Door"	164.136/EC2690/38917-B0-MED	
38918/B0 MED	B-15 Class Bulkhead - Type "A44 Bulkhead B-15"	164.108/EC2690/38918-B0-MED	
38927/B0 MED	A-15 Class Lightweight bulkhead - Type "B50 Bulkhead"	164.105/EC2690/38927-B0-MED	
38930/B0 MED	B-15 Class Bulkhead - Type "B50 Bulkhead B-15"	164.108/EC2690/38930-B0-MED	
40813/B0 MED	B-0 Class Single Leaf Hinged Fire Door, with window - Type "TZS1-B0"	164.136/EC2690/40813-B0-MED	
40814/B0 MED	B-15 Class Single Leaf Hinged Fire Door, with window - Type "TZS1-B15"	164.136/EC2690/40814-B0-MED	
41947/B0 MED	A-60 Class Single Leaf Hinged Gastight/Weathertight Fire Door - Type "Door P-60 A-60"	164.136/EC2690/41947-B0-MED	
42914/B0 MED	B-0 Class Ceiling / A-30 Class Deck - Type ISONELL-300 with optional registers	164.110/EC2690/42914-B0-MED	
44940/B0 MED	B-15 Class Bulkhead - Type "ISONELL B-25 bulkhead"	164.108/EC2690/44940-B0-MED	
44941/B0 MED	B-0 Class Bulkhead - Type "ISONELL B-25 bulkhead"	164.108/EC2690/44941-B0-MED	

App. number	Trade name	USCG marking as per US-EC MRA	Comment
47963/A0 MED	ISONELL B25 M-H (B-15)	164.108/EC2690/47963-A0-MED	
47982/A0 MED	ISONELL B25 M-H (B-0)	164.108/EC2690/47982-A0-MED	
48145/A0 MED	ISONELL-300 with holes (B-15)	164.110/EC2690/48145-A0-MED	
48943/A0 MED	ISONELL B50 M-H (B-15)	164.108/EC2690/48943-A0-MED	
48944/A0 MED	ISONELL B50 M-H (B-0)	164.108/EC2690/48944-A0-MED	
50449/A0 MED	A-60 Class Single Leaf Hinged Fire Door type "TMC/ISONELL WT_Door A-60 "	164.136/EC2690/50449-A0-MED	
50516/A0 MED	A-0 Class Single Leaf Hinged Fire Door with glazing type "TMC/ISONELL WT_Door A-0 "	164.136/EC2690/50516-A0-MED	
53628/A0 MED	B-15 Class Single Leaf Hinged Fire Doors - Type ISONELL RB25	164.136/EC2690/53628-A0-MED	
57367/A0 MED	B-15 Class Ceiling / A-30 Class deck Type "ISONELL-500" with holes	164.110/EC2690/57367-A0-MED	
64852/A0 MED	B-0 Class Ceiling / A-15 Class Deck Type ISONELL 500 with registers	164.110/EC2690/64852-A0-MED	

2. LIMITATIONS


The EC type-examination certificates listed in the scope are to be valid.

Bureau Veritas Marine & Offshore is to be informed immediately of any modification to the quality system in order to agree on appropriate actions.


ISONELL S.L. has to apply for the periodical audits as agreed with Bureau Veritas Marine & Offshore.

ISONELL S.L. must draw up a written EC declaration of conformity to type in compliance with the article 16 of the MED 2014/90/EU.

ISONELL S.L. must affix the mark of conformity in compliance with the articles 9 and 10 of the MED 2014/90/EU taking into consideration the 2 following examples:



2690/XXXX Where XXXX is the year in which the mark is affixed or



2690/ZZ Where ZZ are the two last digits of the year in which the mark is affixed.

3. PERIMETER OF CERTIFICATION

Quality system of following site(s) has been assessed:

GABADI, S.L. - NARON - A CORUNA - SPAIN

ISONELL S.L. - Murga-Aiala (ALAVA) - SPAIN

4. REMARKS

Nil.

*** END OF CERTIFICATE ***