



Marine & Offshore

Certificate number: SMS.MED2.D/61533/A.5

**BUREAU
VERITAS**

Notified Body N° 2690

www.veristar.com

MED 2014/90/EU QUALITY SYSTEM MODULE D CERTIFICATE

This certificate is issued under the French Maritime Authority, in compliance with the Directive 2014/90/EU of the European Parliament and of the Council of 23 July 2014 as transposed in the French Regulations and Commission Implementing Regulation (EU) 2017/306 of 06 Feb. 2017, to:

ISONELL S.L.
Murga-Aiala (ALAVA) - SPAIN

Summary of the range of the recognition which is detailed in the subsequent page(s):

"A" CLASS DIVISIONS, DECKS, FIRE INTEGRITY
 "A" CLASS DIVISIONS, FIRE INTEGRITY
 "B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY
 "B" CLASS DIVISIONS, CEILINGS, FIRE INTEGRITY
 "C" CLASS DIVISIONS
 FIRE DOORS

This certificate is issued to attest that Bureau Veritas Marine & Offshore, notified body number 2690, did undertake, at the above company's request, an assessment of the quality system for production quality assurance related to the equipment of the type described in EC type-examination (Module B) certificate(s) listed in the subsequent page(s). Bureau Veritas Marine & Offshore, notified body number 2690, has considered that the quality system operated was satisfying the applicable requirements of the Marine Equipment Directive 2014/90/EU as amended.

This certificate will expire on: 20 Jan 2019

For Bureau Veritas Marine & Offshore,
 At BV MADRID, on 02 Oct 2017,
 Montserrat Espin



This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with. This certificate is issued within the scope of the General Conditions of Bureau Veritas Marine & Offshore available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas Marine & Offshore for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

ANNEX**1. SCOPE****Products**

App. number	Date of issue	Validity date	Item designation	Trade name	Comment
27786/B0 MED	19 Jun 2017	19 Jun 2022	"C" CLASS DIVISIONS - MED/3.64	ISONELL HONEYCOMB PANEL (20 mm)	
36247/A0 EC	28 Jan 2014	28 Jan 2019	FIRE DOORS - A.1/3.16	B-0 CLASS DOUBLE LEAF HINGED FIRE DOORS	
36248/A0 EC	11 Feb 2014	11 Feb 2019	FIRE DOORS - A.1/3.16	"B-15" Class Double Door	
36373/A0 EC	11 Feb 2014	11 Feb 2019	FIRE DOORS - A.1/3.16	B-0 CLASS SINGLE LEAF HINGED FIRE DOORS - Type "ATZ DOOR B-0"	
36374/A0 EC	11 Feb 2014	10 Feb 2019	FIRE DOORS - A.1/3.16	B-15 Class Single leaf hinged fire doors - Type ATZ	
36594/A0 EC	11 Feb 2014	11 Feb 2019	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	B-30 CLASS - BULKHEAD Type J-50	
36595/A0 EC	11 Feb 2014	11 Feb 2019	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	B-15 BULKHEAD J50	
36596/A0 EC	11 Feb 2014	11 Feb 2019	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	B-0 Class BULKHEAD J50	
36915/A2 EC	30 Oct 2015	28 Jan 2019	"A" CLASS DIVISIONS, FIRE INTEGRITY - A.1/3.11a	A-0 class light-weight bulkhead, type A50 Acoustic	
36916/A2 EC	30 Oct 2015	28 Jan 2019	"A" CLASS DIVISIONS, FIRE INTEGRITY - A.1/3.11a	A-15 class light-weight bulkhead, type A50 Acoustic	
36917/A0 EC	28 Jan 2014	28 Jan 2019	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	A50 BULKHEAD B-0	
36918/A0 EC	28 Jan 2014	28 Jan 2019	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	A50 BULKHEAD B-15	
37416/A2 EC	30 Oct 2015	26 Feb 2019	"A" CLASS DIVISIONS, FIRE INTEGRITY - A.1/3.11a	A-30 class light-weight bulkhead, type A70	
37417/A2 EC	30 Oct 2015	26 Feb 2019	"A" CLASS DIVISIONS, FIRE INTEGRITY - A.1/3.11a	A-15 class light-weight bulkhead, type A70	
37418/A2 EC	30 Oct 2015	26 Feb 2019	"A" CLASS DIVISIONS, FIRE INTEGRITY - A.1/3.11a	A-0 class light-weight bulkhead, type A70	
37419/A0 EC	26 Feb 2014	26 Feb 2019	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	A70 BULKHEAD B-30	

App. number	Date of issue	Validity date	Item designation	Trade name	Comment
37420/A0 EC	26 Feb 2014	26 Feb 2019	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	A70 BULKHEAD B-15	
37421/A0 EC	26 Feb 2014	26 Feb 2019	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	A70 BULKHEAD B-0	
38233/A0 EC	25 Jul 2015	24 Jul 2020	"A" CLASS DIVISIONS, DECKS, FIRE INTEGRITY - A.1/3.11a	A-30 Class Deck - Type "FLOATING FLOOR F30"	
38415/A1 EC	11 Nov 2015	24 Jul 2020	"A" CLASS DIVISIONS, DECKS, FIRE INTEGRITY - A.1/3.11a	A-60 Class Deck - Type "FLOATING FLOOR F60"	
38416/A0 EC	15 Oct 2014	15 Oct 2019	FIRE DOORS - A.1/3.16	A0 class single leaf hinged door Model "DOOR P-30 A0"	
38417/A0 EC	15 Oct 2014	15 Oct 2019	FIRE DOORS - A.1/3.16	A-15 Class Single Leaf Fire Door - Type "Door P30A-15"	
38418/A0 EC	15 Oct 2014	15 Oct 2019	FIRE DOORS - A.1/3.16	A30 class single leaf hinged door Model "DOOR P-30 A30"	
38916/A0 EC	09 Jan 2015	09 Jan 2020	FIRE DOORS - A.1/3.16	B-15 class acoustic fire door with louver - Type "ALZ Door"	
38917/A0 EC	09 Jan 2015	09 Jan 2020	FIRE DOORS - A.1/3.16	B-0 class acoustic fire door with louver - Type "ALZ Door"	
38918/A0 EC	09 Jan 2015	09 Jan 2020	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	B15 class bulkhead - Type "A44 Bulkhead B-15"	
38919/A0 EC	09 Jan 2015	09 Jan 2020	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	B0 class bulkhead - Type "A44 Bulkhead B-0"	
38927/A1 EC	30 Oct 2015	23 Jun 2020	"A" CLASS DIVISIONS, DECKS, FIRE INTEGRITY - A.1/3.11a	A-15 lightweight class bulkhead - Type "B50 Bulkhead"	
38930/A0 EC	05 Jun 2015	05 Jun 2020	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	B-15 Class Bulkhead - Type "B50 Bulkhead B-15"	
40813/A0 MED	18 Nov 2016	18 Nov 2021	FIRE DOORS - A.1/3.16	B-0 Class Single Leaf Hinged Fire Door, with window - Type "TZS1-B0"	
40814/A0 MED	18 Nov 2016	18 Nov 2021	FIRE DOORS - A.1/3.16	B-15 Class Single Leaf Hinged Fire Door, with window - Type "TZS1-B15"	
41944/A0 EC	23 Jun 2015	23 Jun 2020	FIRE DOORS - A.1/3.16	A-0 class single leaf pivot door Type "DOOR P-60 A-0"	
41945/A1 EC	25 Jul 2015	23 Jun 2020	FIRE DOORS - A.1/3.16	A-15 Class single Leaf Fire Door Type "Door P-60 A-15"	
41946/A0 EC	23 Jun 2015	23 Jun 2020	FIRE DOORS - A.1/3.16	A-30 single leaf pivot door Type "DOOR P-60 A-30"	

App. number	Date of issue	Validity date	Item designation	Trade name	Comment
41947/A1 EC	10 Feb 2016	23 Jun 2020	FIRE DOORS - A.1/3.16	A-60 single-leaf pivot Gastight/Weathertight Fire Door Type "DOOR P-60 A-60"	
42914/A0 EC	22 Feb 2016	22 Feb 2021	"B" CLASS DIVISIONS, CEILINGS, FIRE INTEGRITY - A.1/3.11b	B-0 class ceiling / A-30 class deck - Type "ISONELL-300 CEILING B-0"	
43493/A1 EC	15 Feb 2016	13 Nov 2020	"C" CLASS DIVISIONS - A.1/3.64	ISONELL HONEYCOMB PANEL (25 mm)	
44940/A0 MED	28 Nov 2016	28 Nov 2021	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	B-15 Class Bulkhead - Type "ISONELL B-25 bulkhead"	
44941/A0 MED	28 Nov 2016	28 Nov 2021	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	B-0 Class Bulkhead - Type "ISONELL B-25 bulkhead"	
47584/A0 MED	09 Jan 2017	09 Jan 2022	FIRE DOORS - A.1/3.16	A-60 class Fire Door, double leaf, hinged - Type P-60D A-60 CLASS DOUBLE DOOR	
47585/A0 MED	09 Jan 2017	09 Jan 2022	FIRE DOORS - A.1/3.16	A-30 class Fire Door, double leaf, hinged - Type P-60D A-30 CLASS DOUBLE DOOR	
47586/A0 MED	09 Jan 2017	09 Jan 2022	FIRE DOORS - A.1/3.16	A-15 class Fire Door, double leaf, hinged - Type P-60D A-15 CLASS DOUBLE DOOR	
47587/A0 MED	09 Jan 2017	09 Jan 2022	FIRE DOORS - A.1/3.16	A-0 class Fire Door, double leaf, hinged - Type P-60D A-0 CLASS DOUBLE DOOR	
47963/A0 MED	03 Mar 2017	03 Mar 2022	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	ISONELL B25 M-H (B-15)	
47982/A0 MED	03 Mar 2017	03 Mar 2022	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - A.1/3.11b	ISONELL B25 M-H (B-0)	
48145/A0 MED	09 Mar 2017	08 Mar 2022	"B" CLASS DIVISIONS, CEILINGS, FIRE INTEGRITY - A.1/3.11b	ISONELL-300 with holes (B-15)	
48943/A0 MED	01 Jun 2017	01 Jun 2022	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	ISONELL B50 M-H (B-15)	
48944/A0 MED	01 Jun 2017	01 Jun 2022	"B" CLASS DIVISIONS, BULKHEAD PANELS, FIRE INTEGRITY - MED/3.11b	ISONELL B50 M-H (B-0)	

App. number	Date of issue	Validity date	Item designation	Trade name	Comment
05-MD1429295-3-EC4	22 May 2013	21 May 2018	"B" CLASS DIVISIONS, CEILINGS, FIRE INTEGRITY - A.1/3.11b	ISONELL-500 B-15 Ceiling panel with & without holes	Issued by ABS - 0729

USCG marking as per US-EC MRA

App. number	Trade name	USCG marking as per US-EC MRA	Comment
05-MD1429295-3-EC4	ISONELL-500 B-15 Ceiling panel with & without holes	164.110/EC0729/05-MD1429295-3-EC4	
36248/A0 EC	"B-15" Class Double Door	164.136/EC0062/36248-A0-EC/EC2690	
38233/A0 EC	A-30 Class Deck - Type "FLOATING FLOOR F30"	164.105/EC0062/38233-A0-EC/EC2690	
38415/A1 EC	A-60 Class Deck - Type "FLOATING FLOOR F60"	164.105/EC0062/38415-A1-EC/EC2690	
38916/A0 EC	B-15 class acoustic fire door with louver - Type "ALZ Door"	164.136/EC0062/38916-A0-EC/EC2690	
38917/A0 EC	B-0 class acoustic fire door with louver - Type "ALZ Door"	164.136/EC0062/38917-A0-EC/EC2690	
38918/A0 EC	B15 class bulkhead - Type "A44 Bulkhead B-15"	164.108/EC0062/38918-A0-EC/EC2690	
38919/A0 EC	B0 class bulkhead - Type "A44 Bulkhead B-0"	164.108/EC0062/38919-A0-EC/EC2690	
38930/A0 EC	B-15 Class Bulkhead - Type "B50 Bulkhead B-15"	164.108/EC0062/38930-A0-EC/EC2690	
40813/A0 MED	B-0 Class Single Leaf Hinged Fire Door, with window - Type "TZS1-B0"	164.136/EC0062/40813-A0-MED/EC2690	
40814/A0 MED	B-15 Class Single Leaf Hinged Fire Door, with window - Type "TZS1-B15"	164.136/EC0062/40814-A0-MED/EC2690	
41944/A0 EC	A-0 class single leaf pivot door Type "DOOR P-60 A-0"	164.136/EC0062/41944-A0-EC/EC2690	
41945/A1 EC	A-15 Class single Leaf Fire Door Type "Door P-60 A-15"	164.136/EC0062/41945-A1-EC/EC2690	
41946/A0 EC	A-30 single leaf pivot door Type "DOOR P-60 A-30"	164.136/EC0062/41946-A0-EC/EC2690	
41947/A1 EC	A-60 single-leaf pivot Gastight/ Weathertight Fire Door Type "DOOR P-60 A-60"	164.136/EC0062/41947-A1-EC/EC2690	
44940/A0 MED	B-15 Class Bulkhead - Type "ISONELL B-25 bulkhead"	164.108/EC0062/44940-A0-MED/EC2690	
44941/A0 MED	B-0 Class Bulkhead - Type "ISONELL B-25 bulkhead"	164.108/EC0062/44941-A0-MED/EC2690	
47584/A0 MED	A-60 class Fire Door, double leaf, hinged - Type P-60D A-60 CLASS DOUBLE DOOR	164.136/EC0062/47584-A0-MED/EC2690	
47585/A0 MED	A-30 class Fire Door, double leaf, hinged - Type P-60D A-30 CLASS DOUBLE DOOR	164.136/EC0062/47585-A0-MED/EC2690	
47586/A0 MED	A-15 class Fire Door, double leaf, hinged - Type P-60D A-15 CLASS DOUBLE DOOR	164.136/EC0062/47586-A0-MED/EC2690	
47587/A0 MED	A-0 class Fire Door, double leaf, hinged - Type P-60D A-0 CLASS DOUBLE DOOR	164.136/EC0062/47587-A0-MED/EC2690	
47963/A0 MED	ISONELL B25 M-H (B-15)	164.108/EC2690/47963-A0-MED	
47982/A0 MED	ISONELL B25 M-H (B-0)	164.108/EC2690/47982-A0-MED	
48145/A0 MED	ISONELL-300 with holes (B-15)	164.110/EC2690/48145-A0-MED	
48943/A0 MED	ISONELL B50 M-H (B-15)	164.108/EC2690/48943-A0-MED	

App. number	Trade name	USCG marking as per US-EC MRA	Comment
48944/A0 MED	ISONELL B50 M-H (B-0)	164.108/EC2690/48944-A0-MED	

2. LIMITATIONS


The EC type-examination certificates listed in the scope are to be valid.

Bureau Veritas Marine & Offshore is to be informed immediately of any modification to the quality system in order to agree on appropriate actions.


ISONELL S.L. has to apply for the periodical audits as agreed with Bureau Veritas Marine & Offshore.

ISONELL S.L. must draw up a written EC declaration of conformity to type in compliance with the article 10 of the MED 2014/90/EU.

ISONELL S.L. must affix the mark of conformity in compliance with the article 11 of the MED 2014/90/EU taking into consideration the 2 following examples:



2690/XXXX Where XXXX is the year in which the mark is affixed or



2690/ZZ Where ZZ are the two last digits of the year in which the mark is affixed.

3. PERIMETER OF CERTIFICATION

Quality system of following site(s) has been assessed:

ISONELL S.L. - Murga-Aiala (ALAVA) - SPAIN

4. REMARKS

Nil.

*** END OF CERTIFICATE ***